

FOUR GLOVE SOLUTIONS FOR ALL THE JOBS YOU DO



FOR THE BRAND THAT FITS YOU



HOW TO FIND YOUR ATG® GLOVE?

How it works:

1. Select your working environment
2. Select the cut resistance you need
3. Find your glove solution



High
CUT
RISK
5



MaxiCut
ASSURED PROTECTION™

Styles:
**MaxiCöt
Ultra™**
44-3745



Med.
CUT
RISK
3



MaxiFlex
PRECISION HANDLING™

Styles:
**MaxiFlex
Cut™**
34-8743
MaxiCöt
34-450



MaxiCut
ASSURED PROTECTION™

Styles:
**MaxiCöt
Oil™**
34-450LP



MaxiChem
SECURE SAFETY™

Styles:
**MaxiChem
Cut™**
56-633



Low
CUT
RISK
1



MaxiFlex
PRECISION HANDLING™

Styles:
**MaxiFlex
Ultimate™**
42-874
34-876
**MaxiFlex
Endurance™**
34-844
34-847
**MaxiFlex
Elite™**
34-274



MaxiDry
CONTROLLED PERFORMANCE™

Styles:
MaxiDry
56-425
56-426
**MaxiDry
Plus™**
56-530



MaxiChem
SECURE SAFETY™

Styles:
MaxiChem
56-630
56-635



DRY Environment
Precision Handling



OILY Environment
Precision Handling



CHEMICAL
Environment

*Please ensure that if you are working with chemicals that the gloves have the chemical pictogram printed on the glove and are suitable for the chemical that you are exposed to.

ATG® TECHNOLOGY PLATFORMS

proRange™



AIRtech

DELIVERING 360° BREATHABILITY



ERGOtech

FOR REDUCED HAND FATIGUE



DURAtech

LONGER USE SAVES YOU MONEY



CUTtech

FOR PROTECTION AGAINST CUTS



GRIPtech

FOR BETTER PERFORMANCE



LIQUIttech

FOR PROTECTION AGAINST OILS, LIQUIDS AND CHEMICALS



MaxiFlex® Ultimate™

proRange™



Precision handling glove for dry environments.

- AD-APT® technology for keeping your hands cool, dry and productive(42-874).
- AIRtech® technology delivers 360° breathability.
- DURAtch® technology for outstanding durability of more than 18.000 abrasive cycles.
- Optimized grip delivered through our micro-cup finish allows for a controlled grip.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Reference **42-874***

34-876*

Coating palm fully

Color grey/black grey/black

Length 25 cm 25 cm

Palm Thickness 1.00 mm 1.00 mm

EN 388 4131 4131

Sizes 6-12 6-11

*Silicone free



MaxiFlex® Endurance™

proRange™



Precision handling glove for dry environments.

- DURAtch® technology for outstanding durability of more than 18.000 abrasive cycles.
- AIRtech® technology delivers 360° breathability.
- **Raised dots for extra cushioning and increased dry grip.**
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Reference **34-844**

34-847

Coating palm/dots drivers/dots

Color grey/black grey/black

Length 25 cm 25 cm

Palm Thickness 1.10 mm 1.10 mm

EN 388 4131 4131

Sizes 8-11 8-11



MaxiFlex® Elite™

proRange™



Precision handling glove for dry environments.

- DURAtch® technology for outstanding durability of more than 9.000 abrasive cycles.
- **30% thinner** than traditional foam nitrile gloves
- AIRtech® technology delivers 360° breathability.
- Optimized grip delivered through our micro-cup finish allows for a controlled grip.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Reference **34-274**

Coating palm

Color blue/blue

Length 25 cm

Palm Thickness 0,75 mm

EN 388 4121

Sizes 8-11



MaxiFlex® Active™

proRange™



Precision handling glove for dry environments.

- DURAtech® technology for outstanding durability of more than 18.000 abrasive cycles.
- AIRtech® technology delivers 360° breathability.
- **Delivers a "well-being effect" during and after work through the release of thousands of micro-encapsulated specialized ingredients which include aloe vera and vitamin E**
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Reference **34-814**

Coating palm

Color rose/rose

Length 25 cm

Palm Thickness 1.00 mm

EN 388 4131

Sizes 6-9



MaxiFlex® Cut™

proRange™



Precision handling glove for dry environments.

- DURAtech® technology for outstanding durability
- AIRtech® technology delivers 360° breathability.
- CUTtech® technology for **medium cut-protection (EN-Cut Level 3)**
- Optimized grip delivered through our micro-cup finish allows for a controlled grip.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Reference **34-8743***

Coating palm

Color green/black

Length 25 cm

Palm Thickness 0,75 mm

EN 388 4331

Sizes 8-11

*Silicone free



MaxiCut® (Oil™)

proRange™



Cut protection glove for dry or slightly oily (34-450LP) environments.

- DURAtech® technology for outstanding durability
- AIRtech® technology delivers 360° breathability.
- CUTtech® technology for **medium cut-protection (EN-Cut Level 3)**
- Optimized grip delivered through our micro-cup finish allows for a controlled grip.

Reference **34-450**

Coating palm

Color green/grey

Length 25 cm

Palm Thickness 1,20 mm

EN 388 4331

Sizes 7-11

Reference **34-450LP**

Coating palm/leather pad

Color green/grey

Length 25 cm

Palm Thickness 2,50 mm

EN 388 4332

Sizes 8-11



MaxiCut® Ultra™

proRange™



Cut protection glove for dry environments.

- DURAtch® technology for outstanding durability
- AIRtech® technology delivers 360° breathability.
- CUTtech® technology for **high cut-protection**
- Optimized grip delivered through our micro-cup finish allows for a controlled grip.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Reference 44-3745*

Coating palm

Color blue/black

Length 25 cm

Palm Thickness 1.00 mm

EN 388 4542

Sizes 8-11

*Silicone free



MaxiDry®

proRange™



Controlled performance in oily environments.

- LIQUtech® increased resistance to oils.
- **Excellent comfort** through a synthetic coating combined with an industry leading super light seamless knit liner.
- Micro-cup non-slip grip finish allows for a controlled grip in oily and wet applications.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Reference 56-425*

Coating 3/4 dipped

Color purple/black

Length 25 cm

Palm Thickness 1,30 mm

EN 388 4121

EN 374 no

Sizes 8-11

Reference 56-426*

Coating driver

Color purple/black

Length 25 cm

Palm Thickness 1,10 mm

EN 388 4111

EN 374 yes

Sizes 9-11

*Silicone free



MaxiDry® Plus™

proRange™



Controlled performance in oily environments.

- LIQUtech® increased resistance to oils.
- **Excellent comfort** through a synthetic coating combined with an industry leading super light seamless knit liner.
- Micro-cup non-slip grip finish allows for a controlled grip in oily and wet applications.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Reference 56-530*

Color blue/black

Length 25 cm

Palm Thickness 1,30 mm

EN 388 4121

EN 374 no

Sizes 8-11

*Silicone free



MaxiChem®

proRange™



Secure safety when using chemicals.

- LIQUtech® chemical resistance
- **Excellent comfort** through a synthetic coating combined with a super light seamless knit liner.
- Micro-cup non-slip grip finish allows for a controlled grip in wet applications.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.
- **Available in cut resistance.**

Reference 56-630/635

56-633

Color green/black

d'green/black

Length 30/35 cm

30 cm

Palm Thickness 1,30 mm

1,40 mm

EN 388 4131

4342

EN 374 AKL

AKL

EN 374 yes

yes

Sizes 7-11

9-11



MaxiTherm®

classicRange™

Thermal protection glove

Natural latex on a seamless acrylic/polyester liner with patented non slip grip.
Designed for general handling in wet or dry environments under cold/warm conditions.

Reference 30-201

Coating palm

Colour orange/grey

Length 25 cm

Palm Thickness 2,50 mm

EN 388 1241

EN 511 X1X

EN 407 X2XXXX

Sizes 8-11

WOW
World of Workwear

FOR THE BRAND THAT FITS YOU



Utility Glove

- Highly abrasion resistant and durable palm
- Palm is also Slip resistant and waterproof
- Excellent fit and comfort
- High visibility back
- Lightweight stretchable spandex back
- Easy pull on/ off cuff

EN 388



4131



Code	Sizes	Carton size	EN388
UT-612	M to 3XL	48	4131

Oilfield Grip

- Teflon treated full leather palm for resistance to liquids with PVC dots for added grip in wet and oily conditions
- Super soft and flexible back of hand protection for maximum hand movement while still offering exceptional impact & pinch protection
- Excellent fit and comfort
- Reinforced area between thumb and forefinger area increasing durability
- Comfortable stretch cuff with vinyl puller for easy on and off
- Kevlar threaded in critical areas

EN 388



4222



Code	Sizes	Carton size	EN388
OF-615	M to 3XL	48	4222

Rough Miner Cut 5

- Unique waterproof palm with excellent wet and dry grip
- Palm is also highly abrasion resistant and durable
- Padding in palm for added impact and vibration resistance
- High quality, durable and flexible knuckle protection
- Reinforced thumb and forefinger area for increased durability
- Excellent fit and comfort
- High visibility back
- Contact heat rating - 250 degree Celsius for 15 seconds

EN 388



4542

EN 407



X2XXXX

Code	Sizes	Carton size	EN388
PR-625	M to 3XL	48	4542



PR-625

EXCELLENT GRIP

CUT LEVEL 5

Rough Handler Pro Cut 5

- Flexible but tough goatskin leather
- Knuckle and finger impact protection
- Kevlar reinforcement in thumb and forefinger area
- High visibility areas
- Foam padding in palm area
- Kevlar stitched for greater durability

EN 388



4543

Code	Sizes	Carton size	EN388
PR-610	S to 3XL	48	4543

MEC DEX[®]
HI DEXTERITY MECHANICS GLOVES



PR-610

CUT LEVEL 5



FOR THE BRAND THAT FITS YOU

World of Workwear
www.worldofworkwear.co.za
marketing@worldofworkwear.co.za
 011 454 4717